

My-T Premium

Feed additive PREMIXTURE solely intended for animal feed

<i>Code:</i>	Z60-4003
<i>Appearance:</i>	Free-flowing, Pale brown powder
<i>Composition:</i>	<p>Dried yeast cell walls</p> <p>Additives:</p> <p>Vitamins: 3a700 Vitamin E all-rac-alpha-tocopheryl acetate (20 000 IU/kg)</p> <p>3a831 Vitamin B6 (6 000 mg/kg)</p> <p>Betain (40 000 mg/kg)</p> <p><u>Antioxidants:</u> E321 BHT (70 000 mg/kg)</p> <p><u>Anticaking agents:</u> 1m558i Bentonite (582 000 mg/kg)</p> <p><u>Substances for the reduction of contamination of feed by mycotoxins : aflatoxin B1:</u></p> <p>1m558 Bentonite (100 000 mg/kg)</p> <p><u>Mixture of flavouring compounds</u></p>
<i>Physical properties:</i>	Granulometry (sieves) : 100% of particles < 0.8 mm
<i>Benefits:</i>	<p>Strategy for direct action on polar mycotoxins:</p> <p>Specific clays have been selected to protect from the most polar mycotoxins (aflatoxins B1, etc).</p> <p>Strategy for indirect action on less polar mycotoxins</p> <p>Enhance natural production of detoxification enzymes</p> <p>Improve welfare of challenged animals</p> <p>Support the antioxidative status</p>
<i>Application method:</i>	Mixing into feed
<i>Recommended dosages:</i>	<p>Monogastrics:</p> <p>0.5 to 2 kg/T feed according contamination & problems at farm level</p> <p>Ruminants:</p> <p>15 to 30 g/head/day according to contamination & problems at farm level</p> <p>The simultaneous oral use with macrolides shall be avoided.</p> <p>For poultry: The simultaneous use with robenidine shall be avoided.</p>
<i>Packaging:</i>	<p>20 kg multi-layered paper and plastic bags</p> <p>PE plastic bags, recycling category 07</p>
<i>Storage:</i>	24 months in well-closed origin packaging away from heat and humidity
<i>Safety:</i>	See Safety Datasheet

Datasheet

27/07/2015 – SD/VH/AJD

PANCOSMA France S.A.S
Zone Industrielle d'Arlod - 01 200 Bellegarde Sur Valserine - FRANCE
Tel : +33 450 48 52 11 / Fax : +33 450 48 60 40

Agreement number : a FR 01 033 003